

Recording date: 2/3/09

Type **Hotel**

Name **HOTEL BEATRICE**

Category **3 STARS**

Address **VIA FIUME, 11**

Town **FIRENZE**

Province **FIRENZE**

Telephone **055-216790**

Fax **055-2396137**

E-mail **info@hotelbeatrice.it**

Internet **www.hotelbeatrice.it**



Hours of public service **24 hours**

Closing day or closing time **no**

Person in charge of: **Costantino Kartsiotis**

Qualification **General Manager**

Position **town center**

Surrounding land **level roads**

Height of place a.s.l., mt. **50**

Spoken languages?:

Italian

English

Spanish

French

German

Greek

Services offered by the structure:

Breakfast room

TV room

Transport towards structure

Distance from nearest stop, mt.

Urban bus

100

Suburban bus

100

Railway

100

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

Information availability on:

No support

Available transport for internal or external mobility:

None

None

The following payment is accepted

All

Period when open:	Annual
Service method:	B&B
Is Room Service available?	Yes

Are rooms declared accessible by the manager?	Yes	There are menus for:	
How many?	2		
Are rooms declared anti-allergic by the manager?	No		
How many?			

Which public structures are present in the town or in the town closest by?		
Health Structures within about 5 km	Service structures in the area	Service structures in the provincial area
Emergency room Neuropsychiatry Ophthalmology	Tourist information office	Car repair shop for vehicles for disabled persons Car repair shop to adapt vehicles

Are there emergency exits?	
The alarm is:	Not present

Notes:

In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699
- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0
- Car Repair special equipment: Autofficina, via Mariti, 53 tel 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi, via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

GENERAL SUMMARIZING NOTES DESCRIBING THE STRUCTURE

The Beatrice Hotel is located at the second floor of an historical palace. Steps on the entrance and a lift with a 60 cm wide opening influence the main access. Stairways and lift are shared with other tenants. Inside of the hotel there are no particular problems to mobility, on the second floor are the breakfast hall, the bar and the TV room. There are two accessible rooms, with not accessible bathroom inside. There is a bathroom on the same floor, 1,5 mt away from the room. Internal pathways are short and even, emergency exit leads to lift and central main stairway outside of the hotel. The hotel has a special agreement with a paying parking lot which picks up/return car service.

PARKING LOT / CAR PARK

HOTEL BEATRICE

Type of parking lot: Garage
Paying
Covered

Is there an intercom system?

☐

Type?

bell

Height, cm

Obstacles:

The distance is mt

Type of path:

Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

☐










By:

Are there direction signs?

Are tactile guides present?

Notes: The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand.
The service costs 23 euro/day.
Simple parking costs 10 euro/day.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

ENTRANCE

HOTEL BEATRICE

Entrance: Principal

Width, cm 103

Are there stairs? Yes

How many? 2

Are they chromatically marked? no

Are there any aids to bypass the stairs? no

Which?

Are there chromatic-optical contrasts?

no

What do they point out?

Is there an intercom system? bell

Height cm 152

Obstacles: step on the main door entrance.










Type of entrance door opening: revolving

Conditions: manual

Notes:

Just after the building entrance there is a second entrance with manual door, there are 2 steps on the doorway

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Scarce
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

ENTRANCE

HOTEL BEATRICE

Entrance: Principa

Width, cm 74

Are there stairs? no

How many? 2

Are they chromatically marked? no

Are there any aids to bypass the stairs? no

Which?

Are there chromatic-optical contrasts? no

What do they point out?

Is there an intercom system? bell

Height cm 140

Obstacles:










Type of entrance door opening: battente
revolving

Conditions: manual

Notes:

Main entrance to the hotel.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Scarce
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

HOTEL BEATRICE

Function noted: hotel

Counter height, cm 120

Narrowest passage, cm

Steps? No

How many grouped together?

How many isolated?










Presence of obstacles for mobility? No

Yes, what are they :

Systems for dialogue, useful information: Verbal

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

INTERNAL PATHWAYS

Card number

HOTEL BEATRICE

MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

FROM:










TO:

PROBLEMS?

Type of obstacle:

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		Good
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

HOTEL BEATRICE

Are stairs present?

Yes

Width, cm

135

Flight of stairs n.

3

Total number of stairs n.

55

Connecting from:

ground

To:

third










Is there a hand rail:

To the left

Notes:

the stairway is outside of the hotel building, it's used in common with other tenants, it's the only emergency exit from the hotel.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		Scarce
Elderly, lame, heart patient		Scarce
Deaf or hearing impaired person		<input type="text"/>
Blind or visually impaired person		Partial
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>

HOTEL BEATRICE

Present? Yes

Is a service key necessary?

Where is the key kept?

Instructions for use:

Connected from: GROUND

To: tHIRD

Interior width, cm

96

Entrance, cm

60

Interior depth, cm

100

Entrance type:

Double front door

Interior push-button panel:

Normal

Maximum height of cm

134

Acoustic signal of arrival at floor:

Visual

Is an intercom or emergency button present?

Yes










Height, cm

124

Notes:

The lift is historical, with wooden doors with two wings and door holder.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Scarce
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

HOTEL BEATRICE

Type: hotel

Name of room: TV room

Hall / service is located on floor: second

Number of seats n. 6

Entrance, cm 165

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:










Height of buffet, cm

Height of counter, cm

Notes:

Carpets and couches.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		Good
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

HOTEL BEATRICE

Type: hotel

Name of room: breakfast room

Hall / service is located on floor: second

Number of seats n. 20

Entrance, cm 97

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:










Height of buffet, cm 76/92

Height of counter, cm 120

Notes:

Free space under the table is 66 cm high.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		Partial
Person with allergies		Good
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

BEDROOM

HOTEL BEATRICE

Type:

hotel

Number - Name:

7

Situated on floor:

second

Type of room:

Double

Anti-allergenic room?

No

Yes:

The room is:

Smoking

Width of entrance door cm

90

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ?

Yes

Other:

Narrowest passage, cm

50

Description:

between the furniture and the wall

Presence of carpeting?

No

Are there internal stairs?

Yes

Where?

between the room and the internal bathroom

Is it possible to move the bed?

Yes

Bed height, cm

Is it possible to modify bed height?

No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt 1,50

Is there a telephone? Yes

Alarm system: no

Are there obstacles along the passageway from the room to the emergency exit ? No










Which?

Where do the escape routes lead to: inaccessible emergency exit

Notes:


Accessible rooms are on the second floor.
Room numbers are: 2, 4 similar in
disposition and dimensions to room 7.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		Partial
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

FLOOR PLAN

Which side of the structure does the floor plan refer to?



CARD DB_WC/BATHROOM/RESTROOM

HOTEL BEATRICE

Service:

In: room

Number - name: 007

Situated on floor: second

Anteroom?

No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Bathroom

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?










Shower?	Yes	
Type of shower:	box shower with entrance cm.	
Shower provided with seat?	No	
Type:		
Shower provided with handles?		

Bathtub?	No	
Type:		
Provided with internal seat?		
Provided with handles?		
Provided with lifter?		
Model:		


Notes:

The bathroom has a 10 cm step.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

Which side of the structure does the floor plan refer to?



CARD DB_WC/BATHROOM/RESTROOM

HOTEL BEATRICE

Service: for the disabled

In: public

Number - name:

Situated on floor: second

Anteroom?

No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Bagno

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?










Shower?	Yes	
Type of shower:	on floor	
Shower provided with seat?	Yes	
Type:	drop seat	
Shower provided with handles?	Yes	

Bathtub?	No	
Type:		
Provided with internal seat?		
Provided with handles?		
Provided with lifter?		
Model:		

Notes:

The bathroom is public, but dedicated in particular to disabled who cannot use the bathroom inside their room, because narrow and with a 10 cm entrance step.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

Which side of the structure does the floor plan refer to?

