

**CARD DB GENERAL INFORMATION**Recording date: **2/3/09**Type **Hotel**Name **HOTEL CENTRALE**Category **3 STARS**Address **VIA DEI CONTI, 3**Town **FIRENZE**Province **FIRENZE**Telephone **055-215761**Fax **055-215216**E-mail **info@hotelcentrefirenze.it**Internet **www.hotelcentrefirenze.it**Hours of public service **24 hours**Closing day or closing time **NO**Person in charge of: **Roberto Norcini**Qualification **Excecutive manager**Position **town center**Surrounding land **level roads**Height of place a.s.l., mt. **50**Spoken languages?: **English****English****Spanish****French**Services offered by the structure: **Meeting rooms****Waiting room****Breakfast room****TV room**

Transport towards structure

Distance from  
nearest stop, mt.

Transport towards structure

Distance from  
nearest stop, mt.

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

Information availability on: **No support**

Available transport for internal or external mobility: **None**

The following payment is accepted

**All**

# CARD DB\_ACCOMODATION STRUCTURE

0004

## HOTEL CENTRALE

Period when open: Annual

Service method: B&B

Is Room Service available? Yes

Are rooms declared accessible by the manager? Yes

How many? 2

Are rooms declared anti-allergic by the manager? No

How many?

There are menus for:

Which public structures are present in the town or in the town closest by?

Health Structures within about 5 km

**Service structures in the area**

Tourist information office

**Service structures in the provincial area**

**Are there emergency exits? Yes**

**The alarm is: Visual and Acoustic**

**Notes:** In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699
  
- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0
  
- Car Repair special equipment: Autofficina, via Mariti, 53 tel 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi,  
via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

**CARD DB\_PARKING LOT / CAR PARK****HOTEL CENTRALE**

Type of parking lot: Garage  
 Paying  
 Covered

Is there an intercom system?

Type?

Height, cm

Obstacles:

The distance is mt

Type of path:

Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

By:

Are there direction signs?

Are tactile guides present?

**Notes:** The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand.

**LEVEL OF SATISFACTION OF NEEDS**

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Buono

0004

# CARD DB\_INTERNAL PATHWAYS

## HOTEL CENTRALE

### MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

**FROM:**

Reception hall pavement.

**TO:**

Accessible rooms pavement.

**PROBLEMS?**

**Type of obstacle:**

5% slope ramp.

**Notes:**

### LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good

# CARD DB\_ENTRANCE

0004

**Entrance:**

**Width, cm**

**Are there stairs? Yes**

**How many? 2**

**Are they chromatically marked?**

**Are there any aids to bypass the stairs?**

**Which?**

**Are there chromatic-optical contrasts?**

**What do they point out?**

**Is there an intercom system?**

**Height cm**

**Obstacles:**

**Type of entrance door opening:**

**Conditions:**

**Notes:**

Main entrance is the building main door which is external to the hotel and always open.

Obstacles to the hotel entrance are: 2.5 cm threshold on the building main door and two steps on the pathway to the elevator.

**LEVEL OF SATISFACTION OF NEEDS**

Family with children in stroller/pram	Partial
Obese person or pregnant woman	Partial
Elderly, lame, heart patient	Partial
Deaf or hearing impaired person	Good
Blind or visually impaired person	Partial
Person in wheel-chair with companion	Partial
Person in wheel-chair alone	Scarce

# CARD DB\_ENTRANCE

0004

Entrance: Principal

Width, cm 130

Are there stairs? Yes

How many? 66

Are they chromatically marked? No

Are there any aids to bypass the stairs?

Which? lift

Are there chromatic-optical contrasts? No

What do they point out?

Is there an intercom system? bell

Height cm 120

Obstacles:

Type of entrance door opening: revolving

Conditions: manual

**Notes:**

The hotel is on the second floor of an historical palace. There is a 66 steps main stairway and a lift.

**LEVEL OF SATISFACTION OF NEEDS**

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Partial
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Partial

0004

## CARD DB\_RECEPTION

### HOTEL CENTRALE

Function noted: hotel

Counter height, cm 117

Narrowest passage, cm

Steps? No

How many grouped together?

How many isolated?

Presence of obstacles for mobility? No

Yes, what are they :

Systems for dialogue, useful information: Verbal

**Notes:**

## **LEVEL OF SATISFACTION OF NEEDS**

**Person with food allergies**

**Person with allergies**

**Family with children in stroller/pram** Good

**Obese person or pregnant woman** Good

**Elderly, lame, heart patient** Good

**Deaf or hearing impaired person** Good

**Blind or visually impaired person** Good

**Person in wheel-chair with companion** Partial

**Person in wheel-chair alone** Partial

## HOTEL CENTRALE

Type: hotel

Number - Name: 6 / De Medici

Situated on floor: second

Type of room: Twin

Anti-allergenic room? No

Yes:

The room is: No smoking

Width of entrance door cm 84

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other:

Narrowest passage, cm 58

Description: between the couch and the bed

Presence of carpeting? No

Are there internal stairs? No

Where?

Is it possible to move the bed? Yes

Bed height, cm 54

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: no

Are there obstacles along the passageway from the room to the emergency exit? No

Which?

Where do the escape routes lead to: inaccessible emergency exit

Notes:

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies	Partial
Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Partial
Blind or visually impaired person	Partial
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Partial

## HOTEL CENTRALE

Type: hotel

Number - Name: 8 / Angelico

Situated on floor: second

Type of room: Double

Anti-allergenic room? No

Yes:

The room is: Non fumatori  
No smoking

Width of entrance door cm 84

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other: Moving furnishing

Narrowest passage, cm 63

Description: tra letto e muro

Presence of carpeting? No

Are there internal stairs? No

Where?

Is it possible to move the bed? Yes

Bed height, cm 54

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: no

Are there obstacles along the passageway from the room to the emergency exit? No

Which?

Where do the escape routes lead to: inaccessible emergency exit

Notes:

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies Good

Family with children in stroller/pram Good

Obese person or pregnant woman Good

Elderly, lame, heart patient Good

Deaf or hearing impaired person Partial

Blind or visually impaired person Partial

Person in wheel-chair with companion Good

Person in wheel-chair alone Partial

**CARD DB\_WC/BATHROOM/RESTROOM****HOTEL CENTRALE**

Service:

In: room

Number - name: 008

Situated on floor: second

**Anteroom?** No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

**Presence of:** Bathroom

Entrance door, cm 80

Basin? Yes

Type: suspended

Type of basin faucet: lever

Space in front of the faucet, cm 160

Type of toilet: floor toilet

Space in front of toilet, cm 100

Space to the right of toilet, cm 28

Space to the left of toilet, cm 128

Height of toilet, cm 50-52

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? No

Shower? Yes

Type of shower: box shower with entrance cm.  
on floor

0

Shower provided with seat? Yes

Type: removable

Shower provided with handles? Yes

Bathtub? No

Type:

Provided with internal seat?

Provided with handles?

Provided with lifter?

Model:

Notes:

## LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Good

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Good

Person in wheel-chair alone Partial

**CARD DB\_WC/BATHROOM/RESTROOM****HOTEL CENTRALE**

Service:

In: room

Number - name: 006

Situated on floor: second

**Anteroom?** No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

**Presence of:** Bathroom

Entrance door, cm 80

Basin? Yes

Type: suspended

Type of basin faucet: lever

Space in front of the faucet, cm 147

Type of toilet: floor toilet

Space in front of toilet, cm 30

Space to the right of toilet, cm 25

Space to the left of toilet, cm 123

Height of toilet, cm 50-52

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? No

Shower? Yes

Type of shower: box shower with entrance cm.  
on floor

0

Shower provided with seat? Yes

Type: removable

Shower provided with handles? Yes

Bathtub? No

Type:

Provided with internal seat?

Provided with handles?

Provided with lifter?

Model:

Notes:

## LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Good

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Good

Person in wheel-chair alone Partial

# CARD DB\_ROOMS/SERVICES

0004

## HOTEL CENTRALE

Type: hotel

Name of room: Tv room

Hall / service is located on floor: second

Number of seats n. 6

Entrance, cm 97

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:

Height of buffet, cm

Height of counter, cm 115

Notes:

## LEVEL OF SATISFACTION OF NEEDS

Person with food allergies Partial

Person with allergies Good

Family with children in stroller/pram Good

Obese person or pregnant woman Good

Elderly, lame, heart patient Good

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Good

Person in wheel-chair alone Good

# CARD DB\_ROOMS/SERVICES

0004

## HOTEL CENTRALE

Type: hotel

Name of room: breakfast room

Hall / service is located on floor: second

Number of seats n. 27

Entrance, cm 114

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:

Height of buffet, cm 96

Height of counter, cm

**Notes:** Space under the table is 75 cm high.

## LEVEL OF SATISFACTION OF NEEDS

Person with food allergies Partial

Person with allergies Good

Family with children in stroller/pram Good

Obese person or pregnant woman Good

Elderly, lame, heart patient Good

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Good

Person in wheel-chair alone Good

Present? Yes

Is a service key necessary? No

Where is the key kept ?

Instructions for use:

Connected from: ground

To: third

Interior width, cm 67

Entrance, cm 68

Interior depth, cm 94

Entrance type: Single door

Interior push-button panel: In Braille and relief

Maximum height of cm 121

Acoustic signal of arrival at floor: Acoustic and visual

Is an intercom or emergency button present? Yes

Height, cm 121

**Notes:** The lift is small.**LEVEL OF SATISFACTION OF NEEDS**

Person with food allergies

Person with allergies

Family with children in stroller/pram Scarce

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce

# CARD DB\_STAIR

0004

## HOTEL CENTRALE

Are stairs present? Yes

Width, cm 239

Flight of stairs n. 2

Total number of stairs n. 66

Connecting from: ground

To: second

Is there a hand rail: To the left

**Notes:** The stairway is outside of the hotel, is shared with other tenants and it's the only emergency exit from the hotel.

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram

Obese person or pregnant woman

Elderly, lame, heart patient

Deaf or hearing impaired person

Blind or visually impaired person

Person in wheel-chair with companion

Person in wheel-chair alone

0004

## CARD DB\_RAMP

### HOTEL CENTRALE

Are one or more ramps present? Yes

How many? 1

Width, cm 185

Length, cm 210

Surpassed difference in height, cm 10

Gradient: 4,8 %

Connected from: reception hall

to: accessible rooms

Equipped with handrail : No

#### Notes:

#### LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Partial
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good