

**CARD DB GENERAL INFORMATION**Recording date: **2/3/09**Type **Hotel**Name **HOTEL LOMBARDI**Category **2 STARS**Address **VIA FIUME,8**Town **FIRENZE**Province **FIRENZE**Telephone **055-283151**Fax **055-284808**E-mail **hotel.lombardi@dada.it**Internet **www.hotel-lombardi.net**Hours of public service **24 hours**Closing day or closing time **NO**Person in charge of: **Vincenzo Albanese**Qualification **Manager**Position **town center**Surrounding land **level roads**Height of place a.s.l., mt. **50**

Spoken languages?:

**Italian****English****Spanish****French**Services offered by the structure: **Breakfast room**

Transport towards structure	<b>Urban bus</b>	Distance from nearest stop, mt.	<b>100</b>
Transport towards structure	<b>Suburban bus</b>	Distance from nearest stop, mt.	<b>100</b>
Transport towards structure	<b>Railway</b>	Distance from nearest stop, mt.	<b>100</b>
Transport towards structure		Distance from nearest stop, mt.	

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

Information availability on: **No support**

Available transport for internal or external mobility: **None**

The following payment is accepted

**All**

# CARD DB\_ACCOMODATION STRUCTURE

0010

## HOTEL LOMBARDI

Period when open: Annual

Service method: B&B

Is Room Service available? No

Are rooms declared accessible by the manager? No

How many?

Are rooms declared anti-allergic by the manager? No

How many?

There are menus for:

Which public structures are present in the town or in the town closest by?

Health Structures within about 5 km

**Service structures in the area**

Tourist information office

**Service structures in the provincial area**

**Are there emergency exits? Yes**

**The alarm is: Acoustic**

**Notes:** In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699
  
- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0
  
- Car Repair special equipment: Autofficina, via Mariti, 53 tel 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi,  
via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

# CARD DB\_PARKING LOT / CAR PARK

## HOTEL LOMBARDI

Type of parking lot: Garage  
Paying  
Uncovered

Is there an intercom system?

Type?

Height, cm

Obstacles:

The distance is mt

Type of path:

Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

By:

Are there direction signs?

Are tactile guides present?

**Notes:** The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand.  
The service is made by the hotel staff.

### LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good

# CARD DB\_ENTRANCE

0010

## HOTEL LOMBARDI

Entrance: Principal

Width, cm 212

Are there stairs? Yes

How many? 9

Are they chromatically marked? No

Are there any aids to bypass the stairs? No

Which?

Are there chromatic-optical contrasts? No

What do they point out?

Is there an intercom system? bell

Height cm 130

Obstacles:

Type of entrance door opening:

Conditions:

**Notes:**

The entrance to the hotel is from the main historical palace entrance door. There are two steps on the entrance threshold and seven steps to arrive to the following door.

**LEVEL OF SATISFACTION OF NEEDS**

<b>Family with children in stroller/pram</b>	Scarce
<b>Obese person or pregnant woman</b>	Scarce
<b>Elderly, lame, heart patient</b>	Scarce
<b>Deaf or hearing impaired person</b>	Scarce
<b>Blind or visually impaired person</b>	
<b>Person in wheel-chair with companion</b>	Scarce
<b>Person in wheel-chair alone</b>	Scarce

# CARD DB\_ENTRANCE

0010

## HOTEL LOMBARDI

Entrance: Principal

Width, cm 75

Are there stairs? No

How many?

Are they chromatically marked?

Are there any aids to bypass the stairs?

Which?

Are there chromatic-optical contrasts?

What do they point out?

Is there an intercom system? No

Height cm

Obstacles: tappeto e soglia all'ingresso

Type of entrance door opening: revolving

Conditions: manual



**Notes:**

**LEVEL OF SATISFACTION OF NEEDS**

<b>Family with children in stroller/pram</b>	<b>Partial</b>
<b>Obese person or pregnant woman</b>	<b>Scarce</b>
<b>Elderly, lame, heart patient</b>	<b>Scarce</b>
<b>Deaf or hearing impaired person</b>	<b>Good</b>
<b>Blind or visually impaired person</b>	<b>Scarce</b>
<b>Person in wheel-chair with companion</b>	<b>Scarce</b>
<b>Person in wheel-chair alone</b>	<b>Scarce</b>

0010

## CARD DB\_RECEPTION

### HOTEL LOMBARDI

Function noted: hotel

Counter height, cm 110

Narrowest passage, cm

Steps? No

How many grouped together?

How many isolated?

Presence of obstacles for mobility? No

Yes, what are they :

Systems for dialogue, useful information: Verbal

**Notes:**

## **LEVEL OF SATISFACTION OF NEEDS**

**Person with food allergies**

**Person with allergies**

**Family with children in stroller/pram** Good

**Obese person or pregnant woman** Good

**Elderly, lame, heart patient** Good

**Deaf or hearing impaired person** Partial

**Blind or visually impaired person** Good

**Person in wheel-chair with companion** Good

**Person in wheel-chair alone** Partial

0010

# CARD DB\_INTERNAL PATHWAYS

## HOTEL LOMBARDI

### MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

FROM:

TO:

PROBLEMS?

Type of obstacle:

Notes:

#### LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good

Present? Yes

Is a service key necessary? No

Where is the key kept ?

Instructions for use:

Connected from: ground

To: first

Interior width, cm 114

Entrance, cm 66

Interior depth, cm 93

Entrance type: Single door

Interior push-button panel: Normal

Maximum height of cm 143

Acoustic signal of arrival at floor: Not present

Is an intercom or emergency button present? Yes

Height, cm

**Notes:** The lift is historical: there is an 11 cm step on the entrance, the door is wrought iron, the internal door is made of two wings.

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Scarce

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Partial

Blind or visually impaired person Partial

Person in wheel-chair with companion Scarce

Person in wheel-chair alone Scarce

# CARD DB\_STAIR

0010

## HOTEL LOMBARDI

Are stairs present? Yes

Width, cm 145

Flight of stairs n. 1

Total number of stairs n. 27

Connecting from: ground

To: first

Is there a hand rail: To the left

**Notes:** The stairway is outside of the hotel, is shared with other tenants and it's the only emergency exit from the hotel.

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram

Obese person or pregnant woman Scarce

Elderly, lame, heart patient Scarce

Deaf or hearing impaired person Partial

Blind or visually impaired person Partial

Person in wheel-chair with companion

Person in wheel-chair alone

## HOTEL LOMBARDI

Type: hotel

Number - Name: 103

Situated on floor: first

Type of room: Triple

Anti-allergenic room? No

Yes:

The room is: No smoking

Width of entrance door cm 90

Internal door, cm 80

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other:

Narrowest passage, cm 64

Description: between wall and bed

Presence of carpeting? No

Are there internal stairs? Yes

Where? between the internal bathroom and the room

Is it possible to move the bed? Yes

Bed height, cm 54

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: yes, acoustic

Are there obstacles along the passageway from the room to the emergency exit ?

Which?

Where do the escape routes lead to: calm accessible space

**Notes:** Accessible rooms numbers are: 103, 104, 108, 115 similar in disposition and dimensions.

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies Partial

Family with children in stroller/pram Partial

Obese person or pregnant woman Good

Elderly, lame, heart patient Good

Deaf or hearing impaired person Partial

Blind or visually impaired person Good

Person in wheel-chair with companion Good

Person in wheel-chair alone Good



**CARD DB\_WC/BATHROOM/RESTROOM****HOTEL LOMBARDI**

Service:

In: room

Number - name: 103

Situated on floor: first

**Anteroom?** No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

**Presence of:** Bathroom

Entrance door, cm 60

Basin? Yes

Type: on a column

Type of basin faucet: lever

Space in front of the faucet, cm 88

Type of toilet: floor toilet

Space in front of toilet, cm 146

Space to the right of toilet, cm 15

Space to the left of toilet, cm 18

Height of toilet, cm 43

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? Yes

Shower? Yes

Type of shower: box shower with entrance cm.

36

Shower provided with seat? No

Type:

Shower provided with handles? No

Bathtub? No

Type:

Provided with internal seat?

Provided with handles?

Provided with lifter?

Model:

**Notes:** The bathroom has a step on the entrance. Limited space to mobility.

## LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce

**CARD DB\_WC/BATHROOM/RESTROOM****HOTEL LOMBARDI**

Service:

In: public

Number - name:

Situated on floor: first

**Anteroom?** No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

**Presence of:** Restroom

Entrance door, cm 60

Basin? Yes

Type: on a column

Type of basin faucet: pedal

Space in front of the faucet, cm 100

Type of toilet: floor toilet

Space in front of toilet, cm 100

Space to the right of toilet, cm 23

Space to the left of toilet, cm 31

Height of toilet, cm 43

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? No

Shower? No

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub? No

Type:

Provided with internal seat?

Provided with handles?

Provided with lifter?

Model:

Notes:

## LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Partial

Blind or visually impaired person Good

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce

# CARD DB\_ROOMS/SERVICES

0010

## HOTEL LOMBARDI

Type: hotel

Name of room: Breakfast room

Hall / service is located on floor: first

Number of seats n. 16

Entrance, cm 90

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:

Height of buffet, cm

Height of counter, cm 114

Notes:

## **LEVEL OF SATISFACTION OF NEEDS**

**Person with food allergies** Partial

**Person with allergies**

**Family with children in stroller/pram** Good

**Obese person or pregnant woman** Good

**Elderly, lame, heart patient** Good

**Deaf or hearing impaired person** Good

**Blind or visually impaired person** Good

**Person in wheel-chair with companion** Good

**Person in wheel-chair alone** Partial