

Recording date: 2/3/09

Type **Hotel**

Name **HOTEL LOMBARDI**

Category **2 STARS**

Address **VIA FIUME,8**

Town **FIRENZE**

Province **FIRENZE**

Telephone **055-283151**

Fax **055-284808**

E-mail **hotel.lombardi@dada.it**

Internet **www.hotel-lpmbardi.net**



Hours of public service **24 hours**

Closing day or closing time **no**

Person in charge of: **Vincenzo Albanese**

Qualification **Manager**

Position **town center**

Surrounding land **level roads**

Height of place a.s.l., mt. **50**

Spoken languages?:

**Italian**

**English**

**Spanish**

**French**

Services offered by the structure:

**Breakfast room**

Transport towards structure

Distance from nearest stop, mt.

**Urban bus**

**100**

**Suburban bus**

**100**

**Railway**

**100**

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

The following payment is accepted

**All**

Information availability on:

**No support**

Available transport for internal or external mobility:

**None**

Period when open:	Annual
Service method:	B&B
Is Room Service available?	No

Are rooms declared accessible by the manager?	No	There are menus for:	
How many?			
Are rooms declared anti-allergic by the manager?	No		
How many?			

Which public structures are present in the town or in the town closest by?		
Health Structures within about 5 km	Service structures in the area	Service structures in the provincial area
Emergency room Ophthalmology Neuropsychiatry	Tourist information office	

Are there emergency exits?	Yes
The alarm is:	Acoustic

**Notes:**

In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699
- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0
- Car Repair special equipment: Autofficina, via Mariti, 53 tel 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi, via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

**GENERAL SUMMARIZING NOTES DESCRIBING THE STRUCTURE**

Lombardi hotel is located on the first floor of a historical palace.  
 Accessibility to the hotel is influenced by 2 steps to the entrance door and a 7 steps main stairway to the main door of the palace, there are no aid to overcome them.  
 The stairway and the elevator are shared with other tenants, the elevator leads to the hotel entrance on the first floor, the entrance door is of 66cm wide.  
 On the first floor are the reception desk and the breakfast room.  
 The inside of the hotel presents no particular problems to mobility, the pathways are short.  
 The hotel does not have any explicitly accessible room, all rooms has bathrooms inside with a 10cm step.  
 The escape way is the hotel entrance leading to the elevator or to the main stairway on the outside.  
 The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand

# PARKING LOT / CAR PARK

## HOTEL LOMBARDI

Type of parking lot: Garage  
Paying  
Uncovered

Is there an intercom system?

Type?

Height, cm

Obstacles:

The distance is mt

Type of path:










Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

By:

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

**Notes:** The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand. The service is made by the hotel staff.

HOTEL LOMBARDI

Entrance: Principal

Width, cm 212

Are there stairs? Yes

How many? 9

Are they chromatically marked? No

Are there any aids to bypass the stairs? No

Which?

Are there chromatic-optical contrasts? No

What do they point out?

Is there an intercom system? bell

Height cm 130

Obstacles:










Type of entrance door opening:

Conditions:

**Notes:**

The entrance to the hotel is from the main historical palace entrance door. There are two steps on the entrance threshold and seven steps to arrive to the following door.

**LEVEL OF SATISFACTION OF NEEDS**

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Scarce
Obese person or pregnant woman		Scarce
Elderly, lame, heart patient		Scarce
Deaf or hearing impaired person		Scarce
Blind or visually impaired person		<input type="text"/>
Person in wheel-chair with companion		Scarce
Person in wheel-chair alone		Scarce

## HOTEL LOMBARDI

Entrance: Principal

Width, cm 75

Are there stairs? No

How many?

Are they chromatically marked?

Are there any aids to bypass the stairs?

Which?

Are there chromatic-optical contrasts?

What do they point out?

Is there an intercom system? No

Height cm










Obstacles: tappeto e soglia all'ingresso

Type of entrance door opening: revolving

Conditions: manual

Notes:

**LEVEL OF SATISFACTION OF NEEDS**

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Scarce
Elderly, lame, heart patient		Scarce
Deaf or hearing impaired person		Good
Blind or visually impaired person		Scarce
Person in wheel-chair with companion		Scarce
Person in wheel-chair alone		Scarce

HOTEL LOMBARDI

Function noted:

Counter height, cm  Narrowest passage, cm

Steps?

How many grouped together?

How many isolated?










Presence of obstacles for mobility?

Yes, what are they :

Systems for dialogue, useful information:

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text" value="Good"/>
Obese person or pregnant woman		<input type="text" value="Good"/>
Elderly, lame, heart patient		<input type="text" value="Good"/>
Deaf or hearing impaired person		<input type="text" value="Partial"/>
Blind or visually impaired person		<input type="text" value="Good"/>
Person in wheel-chair with companion		<input type="text" value="Good"/>
Person in wheel-chair alone		<input type="text" value="Partial"/>



# INTERNAL PATHWAYS

Card number

## HOTEL LOMBARDI

### MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

FROM:










TO:

PROBLEMS?

Type of obstacle:

Notes:

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good










## HOTEL LOMBARDI

Are stairs present?	Yes
Width, cm	145
Flight of stairs n.	1
Total number of stairs n.	27
Connecting from:	ground
To:	first
Is there a hand rail:	To the left

### Notes:

The stairway is outside of the hotel, is shared with other tenants and it's the only emergency exit from the hotel.

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		Scarce
Elderly, lame, heart patient		Scarce
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>

## HOTEL LOMBARDI

Present?

Is a service key necessary?

Where is the key kept?

Instructions for use:

Connected from:

To:

Interior width, cm  Entrance, cm  Interior depth, cm

Entrance type:

Interior push-button panel:  Maximum height of cm










Acoustic signal of arrival at floor:

Is an intercom or emergency button present?  Height, cm

### Notes:

The lift is historical: there is an 11 cm step on the entrance, the door is wrought iron, the internal door is made of two wings.

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text" value="Scarce"/>
Obese person or pregnant woman		<input type="text" value="Partial"/>
Elderly, lame, heart patient		<input type="text" value="Partial"/>
Deaf or hearing impaired person		<input type="text" value="Partial"/>
Blind or visually impaired person		<input type="text" value="Partial"/>
Person in wheel-chair with companion		<input type="text" value="Scarce"/>
Person in wheel-chair alone		<input type="text" value="Scarce"/>

# ROOMS/SERVICES

## HOTEL LOMBARDI

Type:

Name of room:

Hall / service is located on floor:

Number of seats n.

Entrance, cm

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation?

Are there reserved seats?

How many?










Relations with the public are:

Height of buffet, cm

Height of counter, cm

### Notes:

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text" value="Partial"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text" value="Good"/>
Obese person or pregnant woman		<input type="text" value="Good"/>
Elderly, lame, heart patient		<input type="text" value="Good"/>
Deaf or hearing impaired person		<input type="text" value="Good"/>
Blind or visually impaired person		<input type="text" value="Good"/>
Person in wheel-chair with companion		<input type="text" value="Good"/>
Person in wheel-chair alone		<input type="text" value="Partial"/>

# BEDROOM

## HOTEL LOMBARDI

Type: hotel

Number - Name: 103

Situated on floor: first

Type of room: Triple

Anti-allergenic room?  No

Yes:

The room is:  No smoking

Width of entrance door cm 90

Internal door, cm 80

Other:

Is there sufficient space for wheel-chair rotation ?  Yes

Other:

Narrowest passage, cm 64

Description: between wall and bed

Presence of carpeting?  No

Are there internal stairs?  Yes

Where? between the internal bathroom and the room

Is it possible to move the bed?  Yes

Bed height, cm 54

Is it possible to modify bed height?  No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: yes, acoustic

Are there obstacles along the passageway from the room to the emergency exit ?










Which?

Where do the escape routes lead to: calm accessible space


**Notes:**

Accessible rooms numbers are: 103, 104, 108, 115 similar in disposition and dimensions.

**LEVEL OF SATISFACTION OF NEEDS**

Person with food allergies		
Person with allergies		Partial
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

Which side of the structure does the floor plan refer to?



# WC/BATHROOM/RESTROOM

## HOTEL LOMBARDI

Service:

In: room

Number - name: 103

Situated on floor: first

Anteroom?

No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Bathroom

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?



Shower? Yes

Type of shower: box shower with entrance cm.

36

Shower provided with seat? No

Type:

Shower provided with handles? No

Bathtub? No

Type:

Provided with internal seat?

Provided with handles?










Provided with lifter?

Model:

**Notes:**

The bathroom has a step on the entrance.  
Limited space to mobility.


**LEVEL OF SATISFACTION OF NEEDS**

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

Which side of the structure does the floor plan refer to?

Empty rectangular box for the answer.

# Hotel Lombardi bagno camera n° 103



# WC/BATHROOM/RESTROOM

## HOTEL LOMBARDI

Service:

In: public

Number - name:

Situated on floor: first

Anteroom?

No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Restroom

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?

Shower? No

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub? No

Type:

Provided with internal seat?










Provided with handles?

Provided with lifter?

Model:

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

Which side of the structure does the floor plan refer to?

Empty rectangular box for the answer.

