

**CARD DB GENERAL INFORMATION**Recording date: **2/3/09**Type **Hotel**Name **HOTEL MACHIAVELLI PALACE**Category **3 STARS**Address **VIA NAZIOANLE,10**Town **FIRENZE**Province **FIRENZE**Telephone **055-216622**Fax **055-214106**E-mail **info@hotelmachiavelli.it**Internet **nadia@hotelmachiavelli.it**Hours of public service **24 hours**Closing day or closing time **NO**Person in charge of: **Nadia Roma**Qualification **Manager Assistant**Position **town center**Surrounding land **level roads**Height of place a.s.l., mt. **50**

Spoken languages?:

**Italian****English****Spanish****French**

Services offered by the structure:

**Breakfast room****TV room**

Transport towards structure	<b>Urban bus</b>	Distance from nearest stop, mt.	<b>100</b>
Transport towards structure	<b>Suburban bus</b>	Distance from nearest stop, mt.	<b>100</b>
Transport towards structure	<b>Railway</b>	Distance from nearest stop, mt.	<b>100</b>
Transport towards structure		Distance from nearest stop, mt.	

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

Information availability on: **No support**

Available transport for internal or external mobility: **None**

The following payment is accepted

**Mastercard**

**Visa**

**AmericanExpress**

**CartaSi**

**Maestro**

**BankAmericanCard**

**Bancomat**

# CARD DB\_ACCOMODATION STRUCTURE

0011

## HOTEL MACHIAVELLI PALACE

Period when open: Annual

Service method: B&B

Is Room Service available? Yes

Are rooms declared accessible by the manager? No

How many?

Are rooms declared anti-allergic by the manager? No

How many?

There are menus for:

Which public structures are present in the town or in the town closest by?

Health Structures within about 5 km

**Service structures in the area**

Tourist information office

**Service structures in the provincial area**

**Are there emergency exits?** Yes

**The alarm is:** Visual and Acoustic

**Notes:** In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699
  
- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0
  
- Car Repair special equipment: Autofficina, via Mariti, 53 tel 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi,  
via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

# CARD DB\_PARKING LOT / CAR PARK

## HOTEL MACHIAVELLI PALACE

Type of parking lot: Garage  
Paying  
Uncovered

Is there an intercom system?

Type?

Height, cm

Obstacles:

The distance is mt

Type of path:

Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

By:

Are there direction signs?

Are tactile guides present?

**Notes:** The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand.  
The service is made by the hotel staff.

### LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good

# CARD DB\_ENTRANCE

0011

## HOTEL MACHIAVELLI PALACE

Entrance: Principal

Width, cm 178

Are there stairs? Yes

How many? 1

Are they chromatically marked? No

Are there any aids to bypass the stairs? No

Which?

Are there chromatic-optical contrasts? No

What do they point out?

Is there an intercom system? bell

Height cm 145

Obstacles:

Type of entrance door opening: wings

Conditions: manual

**Notes:**

The entrance is 10 cm threshold. There is then a ramp between the first and the second door.

**LEVEL OF SATISFACTION OF NEEDS**

<b>Family with children in stroller/pram</b>	<b>Partial</b>
<b>Obese person or pregnant woman</b>	<b>Partial</b>
<b>Elderly, lame, heart patient</b>	<b>Scarce</b>
<b>Deaf or hearing impaired person</b>	<b>Good</b>
<b>Blind or visually impaired person</b>	<b>Partial</b>
<b>Person in wheel-chair with companion</b>	<b>Partial</b>
<b>Person in wheel-chair alone</b>	<b>Scarce</b>

0011

## CARD DB\_RECEPTION

### HOTEL MACHIAVELLI PALACE

Function noted: hotel

Counter height, cm 103

Narrowest passage, cm 56

Steps? No

How many grouped together?

How many isolated?

Presence of obstacles for mobility? Yes

Yes, what are they : Furnishings limits access to bar, TV and breakfast room.

Systems for dialogue, useful information: Verbal

**Notes:**



## **LEVEL OF SATISFACTION OF NEEDS**

**Person with food allergies**

**Person with allergies**

**Family with children in stroller/pram** Good

**Obese person or pregnant woman** Good

**Elderly, lame, heart patient** Good

**Deaf or hearing impaired person** Good

**Blind or visually impaired person** Partial

**Person in wheel-chair with companion** Good

**Person in wheel-chair alone** Partial

0011

# CARD DB\_INTERNAL PATHWAYS

## HOTEL MACHIAVELLI PALACE

### MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

FROM:

TO:

PROBLEMS?

Type of obstacle:

Notes:

#### LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good

0011

**CARD DB\_LIFT**

**HOTEL MACHIAVELLI PALACE**

Present? Yes

Is a service key necessary? No

Where is the key kept ?

Instructions for use:

Connected from: ground

To: fourth

Interior width, cm 104

Entrance, cm 76

Interior depth, cm 120

Entrance type: Single door

Interior push-button panel: In Braille and relief

Maximum height of cm 140

Acoustic signal of arrival at floor: Not present

Is an intercom or emergency button present? Yes

Height, cm 140

Notes:

**LEVEL OF SATISFACTION OF NEEDS**

Person with food allergies

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Partial

Blind or visually impaired person Partial

Person in wheel-chair with companion Partial

Person in wheel-chair alone Partial

# CARD DB\_STAIR

0011

## HOTEL MACHIAVELLI PALACE

Are stairs present? Yes

Width, cm 100

Flight of stairs n. 2

Total number of stairs n. 115

Connecting from: ground

To: fifth

Is there a hand rail: To the right

**Notes:** The stairway is outside of the hotel and it's the only emergency exit from the hotel.

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram

Obese person or pregnant woman Scarce

Elderly, lame, heart patient Scarce

Deaf or hearing impaired person Partial

Blind or visually impaired person Partial

Person in wheel-chair with companion

Person in wheel-chair alone

**CARD DB\_BEDROOM****HOTEL MACHIAVELLI PALACE**

Type: hotel

Number - Name: 307

Situated on floor: third

Type of room: Double

Anti-allergenic room? No

Yes:

The room is: Smoking

Width of entrance door cm 80

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other:

Narrowest passage, cm 60

Description: between the TV set and the bed

Presence of carpeting? No

Are there internal stairs? No

Where?

Is it possible to move the bed? No

Bed height, cm 53

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system:

Are there obstacles along the passageway from the room to the emergency exit? No

Which?

Where do the escape routes lead to: inaccessible emergency exit

Notes: Furnishings not adjustable to personal needs.

Wide rooms are: 105, 108, 109 (triple), 205, 207,208, 209 (double), 307, 308, 309 (double), similar in disposition and dimensions and near the elevator.

### LEVEL OF SATISFACTION OF NEEDS

#### Person with food allergies

Person with allergies	Partial
Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Partial
Blind or visually impaired person	Partial
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good

**CARD DB\_BEDROOM****HOTEL MACHIAVELLI PALACE**

Type: hotel

Number - Name: 308

Situated on floor: third

Type of room: Double

Anti-allergenic room? No

Yes:

The room is: Smoking

Width of entrance door cm 80

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other:

Narrowest passage, cm

Description:

Presence of carpeting? No

Are there internal stairs? Yes

Where? 2.5 cm threshold between the room and the internal bathroom

Is it possible to move the bed? Yes

Bed height, cm 55

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: no

Are there obstacles along the passageway from the room to the emergency exit? No

Which?

Where do the escape routes lead to: inaccessible emergency exit

**Notes:** Wide rooms are: 105, 108, 109 (triple), 205, 207, 208, 209 (double), 307, 308, 309 (double), similar in disposition and dimensions and near the elevator.

### LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies	Partial
Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Partial
Blind or visually impaired person	Partial
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good



# CARD DB\_WC/BATHROOM/RESTROOM

## HOTEL MACHIAVELLI PALACE

Service:

In: room

Number - name: 307

Situated on floor: third

### Anteroom?

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of: Bathroom

Entrance door, cm 70

Basin? Yes

Type: suspended

Type of basin faucet: lever

Space in front of the faucet, cm 95

Type of toilet: floor toilet

Space in front of toilet, cm 39

Space to the right of toilet, cm 10

Space to the left of toilet, cm 6

Height of toilet, cm 42

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? Yes

Shower? No

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub? Yes

Type: Bathtub with shower

Provided with internal seat? No

Provided with handles? No

Provided with lifter? No

Model:

Notes:

## LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce

# CARD DB\_WC/BATHROOM/RESTROOM

## HOTEL MACHIAVELLI PALACE

Service:

In: room

Number - name: 308

Situated on floor:

**Anteroom?**

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

**Presence of:** Bathroom

Entrance door, cm 70

Basin? Yes

Type: on a column

Type of basin faucet: lever

Space in front of the faucet, cm 140

Type of toilet: floor toilet

Space in front of toilet, cm 114

Space to the right of toilet, cm 12

Space to the left of toilet, cm 23

Height of toilet, cm

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? Yes

**Shower?**

**Type of shower:**

**Shower provided with seat?**

**Type:**

**Shower provided with handles?**

**Bathtub? No**

**Type: Bathtub with shower**

**Provided with internal seat? No**

**Provided with handles? No**

**Provided with lifter? No**

**Model:**

**Notes:** 2,5 cm threshold.

## **LEVEL OF SATISFACTION OF NEEDS**

**Person with food allergies**

**Person with allergies**

**Family with children in stroller/pram** Good

**Obese person or pregnant woman** Partial

**Elderly, lame, heart patient** Partial

**Deaf or hearing impaired person** Good

**Blind or visually impaired person** Good

**Person in wheel-chair with companion** Partial

**Person in wheel-chair alone** Scarce

# CARD DB\_WC/BATHROOM/RESTROOM

## HOTEL MACHIAVELLI PALACE

Service:

In: public

Number - name:

Situated on floor: ground

**Anteroom?** Yes

Entrance door, cm 70

Basin? Yes

Type: suspended

Type of basin faucet: pedal

Space in front of the faucet, cm 145

**Presence of:**

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?

**Shower?**

**Type of shower:**

**Shower provided with seat?**

**Type:**

**Shower provided with handles?**

**Bathtub?**

**Type:**

**Provided with internal seat?**

**Provided with handles?**

**Provided with lifter?**

**Model:**

**Notes:** Only bathroom entrance is accessible.

## **LEVEL OF SATISFACTION OF NEEDS**

**Person with food allergies**

**Person with allergies**

**Family with children in stroller/pram** Good

**Obese person or pregnant woman** Good

**Elderly, lame, heart patient** Good

**Deaf or hearing impaired person** Good

**Blind or visually impaired person** Good

**Person in wheel-chair with companion** Partial

**Person in wheel-chair alone** Scarce

# CARD DB\_ROOMS/SERVICES

0011

## HOTEL MACHIAVELLI PALACE

Type: hotel

Name of room: Breakfast room

Hall / service is located on floor: ground floor

Number of seats n. 55

Entrance, cm 200

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:

Height of buffet, cm 86

Height of counter, cm

Notes:

## **LEVEL OF SATISFACTION OF NEEDS**

**Person with food allergies** Partial

**Person with allergies**

**Family with children in stroller/pram** Partial

**Obese person or pregnant woman** Good

**Elderly, lame, heart patient** Good

**Deaf or hearing impaired person** Good

**Blind or visually impaired person** Partial

**Person in wheel-chair with companion** Good

**Person in wheel-chair alone** Good