

Recording date: 2/3/09

Type **Hotel**

Name **HOTEL MACHIAVELLI PALACE**

Category **3 STARS**

Address **VIA NAZIOANLE,10**

Town **FIRENZE**

Province **FIRENZE**

Telephone **055-216622**

Fax **055-214106**

E-mail **info@hotelmachiavelli.it**

Internet **nadia@hotelmachiavelli.it**



Hours of public service **24 hours**

Closing day or closing time **no**

Person in charge of: **Nadia Roma**

Qualification **Manager Assistant**

Position **town center**

Surrounding land **level roads**

Height of place a.s.l., mt. **50**

Spoken languages?:

Italian

English

Spanish

French

Services offered by the structure:

Breakfast room

TV room

Transport towards structure

Distance from nearest stop, mt.

Urban bus

100

Suburban bus

100

Railway

100

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

Information availability on:

No support

Available transport for internal or external mobility:

None

The following payment is accepted

Mastercard

Visa

AmericanExpress

CartaSi

Maestro

BankAmericanCard

Bancomat

Period when open:	Annual
Service method:	B&B
Is Room Service available?	Yes

Are rooms declared accessible by the manager?	No	There are menus for:	
How many?			
Are rooms declared anti-allergic by the manager?	No		
How many?			

Which public structures are present in the town or in the town closest by?		
Health Structures within about 5 km	Service structures in the area	Service structures in the provincial area
Emergency room Ophthalmology Neuropsychiatry	Tourist information office	

Are there emergency exits?	Yes
The alarm is:	Visual and Acoustic

Notes:

In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699
- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0
- Car Repair special equipment: Autofficina, via Mariti, 53 tel 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi, via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

GENERAL SUMMARIZING NOTES DESCRIBING THE STRUCTURE

Hotel Machiavelli Palace has an entrance with 10 cm threshold and two manual doors distant two meters from each other; between the two is a ramp with slope of approximately 8%.

On the ground floor are the TV – Bar hall, breakfast room and Internet point. The elevator brings to all of the hotel floors. The hotel does not have any explicitly accessible room, but offers 10 wide rooms all with bathroom inside.

The inner pathways are regular, wide and free from furnishings and the accessible rooms are next to the elevator.

The escape ways all brings to the central stairway inside of the hotel and to the elevator, heading to the main entrance.

The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand

PARKING LOT / CAR PARK

HOTEL MACHIAVELLI PALACE

Type of parking lot: Garage
Paying
Uncovered

Is there an intercom system?

☐

Type?

Height, cm

Obstacles:

The distance is mt

Type of path:

Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

☐

By:










Are there direction signs?

Are tactile guides present?

Notes:

The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand. The service is made by the hotel staff.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

ENTRANCE

HOTEL MACHIAVELLI PALACE

Entrance: Principal

Width, cm 178

Are there stairs? Yes

How many? 1

Are they chromatically marked? No

Are there any aids to bypass the stairs? No

Which?

Are there chromatic-optical contrasts?

No

What do they point out?

Is there an intercom system? bell

Height cm 145

Obstacles:










Type of entrance door opening: wings

Conditions: manual

Notes:

The entrance is 10 cm threshold. There is then a ramp between the first and the second door.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Scarce
Deaf or hearing impaired person		Good
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

HOTEL MACHIAVELLI PALACE

Function noted: hotel

Counter height, cm 103

Narrowest passage, cm 56

Steps? No

How many grouped together?

How many isolated?










Presence of obstacles for mobility? Yes

Yes, what are they : Furnishings limits access to bar, TV and breakfast room.

Systems for dialogue, useful information: Verbal

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

INTERNAL PATHWAYS

Card number

HOTEL MACHIAVELLI PALACE

MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

FROM:










TO:

PROBLEMS?

Type of obstacle:

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

HOTEL MACHIAVELLI PALACE

Are stairs present?

Yes

Width, cm

100

Flight of stairs n.

2

Total number of stairs n.

115

Connecting from:

gound

To:

fifth










Is there a hand rail:

To the right

Notes:

The stairway is outside of the hotel and it's the only emergency exit from the hotel.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		Scarce
Elderly, lame, heart patient		Scarce
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>

HOTEL MACHIAVELLI PALACE

Present? Yes

Is a service key necessary? No

Where is the key kept ?

Instructions for use:

Connected from: ground

To: fourth

Interior width, cm 104

Entrance, cm 76

Interior depth, cm 120

Entrance type: Single door

Interior push-button panel: In Braille and relief

Maximum height of cm 140










Acoustic signal of arrival at floor: Not present

Is an intercom or emergency button present? Yes

Height, cm 140

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Partial

HOTEL MACHIAVELLI PALACE

Are one or more ramps present? Yes

How many? 1

Width, cm 178

Length, cm 200

Surpassed difference in height, cm 15

Gradient: 7,5 %

Connected from: external area










to: area inside of the hotel

Equipped with handrail : No

Notes:

There is a carpet on the ramp.

LEVEL OF SATISFACTION OF NEEDS










Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

HOTEL MACHIAVELLI PALACE

Type:	hotel
Name of room:	Breakfast room
Hall / service is located on floor:	ground floor
Number of seats n.	55
Entrance, cm	200
Narrowest passage, cm	
Is there sufficient space for wheel-chair rotation?	Yes
Are there reserved seats?	no
How many?	
Relations with the public are:	
Height of buffet, cm	86
Height of counter, cm	

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		Partial
Person with allergies		
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

BEDROOM

HOTEL MACHIAVELLI PALACE

Type: hotel

Number - Name: 307

Situated on floor: third

Type of room: Double

Anti-allergenic room? No

Yes:

The room is: Smoking

Width of entrance door cm 80

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other:

Narrowest passage, cm 60

Description: between the TV set and the bed

Presence of carpeting? No

Are there internal stairs? No

Where?

Is it possible to move the bed? No

Bed height, cm 53

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system:

Are there obstacles along the passageway from the room to the emergency exit ? No

Which?










Where do the escape routes lead to: inaccessible emergency exit

Notes:


Furnishings not adjustable to personal needs.

Wide rooms are: 105, 108, 109 (triple), 205, 207, 208, 209 (double), 307, 308, 309 (double), similar in disposition and dimensions and near the elevator.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		Partial
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

Which side of the structure does the floor plan refer to?



BEDROOM

HOTEL MACHIAVELLI PALACE

Type:

hotel

Number - Name:

308

Situated on floor:

third

Type of room:

Double

Anti-allergenic room?

No

Yes:

The room is:

Smoking

Width of entrance door cm

80

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ?

Yes

Other:

Narrowest passage, cm

Description:

Presence of carpeting?

No

Are there internal stairs?

Yes

Where? 2.5 cm threshold between the room and the internal bathroom

Is it possible to move the bed?

Yes

Bed height, cm

55

Is it possible to modify bed height?

No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: no

Are there obstacles along the passageway from the room to the emergency exit ? No










Which?

Where do the escape routes lead to: inaccessible emergency exit


Notes:

Wide rooms are: 105, 108, 109 (triple), 205, 207, 208, 209 (double), 307, 308, 309 (double), similar in disposition and dimensions and near the elevator.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		Partial
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

Which side of the structure does the floor plan refer to?



WC/BATHROOM/RESTROOM

HOTEL MACHIAVELLI PALACE

Service:

In: room

Number - name: 307

Situated on floor: third

Anteroom?

☐

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Bathroom

Entrance door, cm

70

Basin?

Yes

Type:

suspended

Type of basin faucet:

lever

Space in front of the faucet, cm

95

Type of toilet:

floor toilet

Space in front of toilet, cm

39

Space to the right of toilet, cm

10

Space to the left of toilet, cm

6

Height of toilet, cm

42

Bidet?

No

Handles to the right of toilet?

No

Handles to the left of toilet?

Yes

Shower? No

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub? Yes

Type: Bathtub with shower

Provided with internal seat? No

Provided with handles? No

Provided with lifter? No

Model:

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies



Person with allergies



Family with children in stroller/pram



Partial

Obese person or pregnant woman



Partial

Elderly, lame, heart patient



Partial

Deaf or hearing impaired person



Good

Blind or visually impaired person



Good

Person in wheel-chair with companion



Partial


Person in wheel-chair alone



Scarce

Which side of the structure does the floor plan refer to?

Hotel Macchiavelli bagno camera n° 307



WC/BATHROOM/RESTROOM

HOTEL MACHIAVELLI PALACE

Service:

In: room

Number - name: 308

Situated on floor:

Anteroom?

☐

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Bathroom

Entrance door, cm

70

Basin?

Yes

Type:

on a column

Type of basin faucet:

lever

Space in front of the faucet, cm

140

Type of toilet:

floor toilet

Space in front of toilet, cm

114

Space to the right of toilet, cm

12

Space to the left of toilet, cm

23

Height of toilet, cm

Bidet?

No

Handles to the right of toilet?

No

Handles to the left of toilet?

Yes










Shower?		
Type of shower:		
Shower provided with seat?		
Type:		
Shower provided with handles?		

Bathtub?	No	
Type:	Bathtub with shower	
Provided with internal seat?	No	
Provided with handles?	No	
Provided with lifter?	No	
Model:		

Notes:


2,5 cm threshold.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

Which side of the structure does the floor plan refer to?

Hotel Macchiavelli bagno camera n° 308



WC/BATHROOM/RESTROOM

HOTEL MACHIAVELLI PALACE

Service:

In: public

Number - name:

Situated on floor: ground

Anteroom?

Yes

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?










Shower?	<input style="width: 100%;" type="text"/>		
Type of shower:	<input style="width: 60%;" type="text"/>	<input style="width: 20%;" type="text"/>	<input style="width: 20%;" type="text"/>
Shower provided with seat?	<input style="width: 100%;" type="text"/>		
Type:	<input style="width: 100%;" type="text"/>		
Shower provided with handles?	<input style="width: 100%;" type="text"/>		

Bathtub?	<input style="width: 100%;" type="text"/>		
Type:	<input style="width: 100%;" type="text"/>		
Provided with internal seat?	<input style="width: 100%;" type="text"/>		
Provided with handles?	<input style="width: 100%;" type="text"/>		
Provided with lifter?	<input style="width: 100%;" type="text"/>		
Model:	<input style="width: 100%;" type="text"/>		

Notes:

Only bathroom entrance is accessible.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce