

Recording date: 2/3/09

Type **Hotel**

Name **HOTEL MEDICI**

Category **2 STARS**

Address **VIA DEI MEDICI, 6**

Town **FIRENZE**

Province **FIRENZE**

Telephone **055-284818 055-291098**

Fax **055-216202**

E-mail **info@hotelmedici.it**

Internet **www.hotelmedici.it**



Hours of public service **24 hours**

Closing day or closing time **no**

Person in charge of: **Gabriele Fantini**

Qualification **Executive Manager**

Position **town center**

Surrounding land **level roads**

Height of place a.s.l., mt. **50**

Spoken languages?:

Italian

English

Spanish

French

German

Services offered by the structure:

Breakfast room

TV room

Transport towards structure

Distance from nearest stop, mt.

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

Information availability on:

No support

Available transport for internal or external mobility:

None

The following payment is accepted

Mastercard

Visa

AmericanExpress

CartaSi

Maestro

BankAmericanCard

Bancomat

Bancoposta

Period when open:	Annual
Service method:	B&B
Is Room Service available?	No

Are rooms declared accessible by the manager?	Yes	There are menus for:	
How many?	2		
Are rooms declared anti-allergic by the manager?	No		
How many?			

Which public structures are present in the town or in the town closest by?		
Health Structures within about 5 km	Service structures in the area	Service structures in the provincial area
Emergency room Ophthalmology Neuropsychiatry	Tourist information office	

Are there emergency exits?	Yes
The alarm is:	Visual and Acoustic

Notes:

In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699
- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0
- Car Repair special equipment: Autofficina, via Mariti, 53 tel. 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi, via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

GENERAL SUMMARIZING NOTES DESCRIBING THE STRUCTURE

The entrance to Medici Hotel is influenced by two steps on the entrance, with no aid to overcome them.

On the ground floor there is only the reception desk and the access to the elevator, mobility is a little reduced by tight spaces.

On the first floor are the breakfast and TV rooms and the public bathroom, there are no particular problems to mobility and spaces are easy enough.

The hotel is equipped of two accessible rooms with bathrooms inside: one on the second floor and one on the fifth floor, with fire doors.

The inner pathways are regular, wide and free of furnishings.

The escape way leads to the central stairway inside of the hotel and to the elevator, heading to the main entrance.

The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand

PARKING LOT / CAR PARK

HOTEL MEDICI

Type of parking lot: Garage
Paying
Uncovered

Is there an intercom system?

☐

Type?

Height, cm

Obstacles:

The distance is mt

Type of path:

Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

☐










By:

Are there direction signs?

Are tactile guides present?

Notes: The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand. The service is made by the hotel staff.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

ENTRANCE

HOTEL MEDICI

Entrance: Principal

Width, cm 158

Are there stairs? Yes

How many? 2

Are they chromatically marked? No

Are there any aids to bypass the stairs? No

Which?

Are there chromatic-optical contrasts? No

What do they point out?

Is there an intercom system? bell

Height cm 96










Obstacles:

Type of entrance door opening: revolving

Conditions: manual

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

HOTEL MEDICI

Function noted: hotel

Counter height, cm 113

Narrowest passage, cm

Steps? No

How many grouped together?

How many isolated?

Presence of obstacles for mobility? No










Yes, what are they :

Systems for dialogue, useful information: Verbal

Notes:

ambiente un po stretto...

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

INTERNAL PATHWAYS

Card number

HOTEL MEDICI

MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

FROM:










TO:

PROBLEMS?

Type of obstacle:

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

STAIR

HOTEL MEDICI

Are stairs present? Yes

Width, cm 110

Flight of stairs n. 3

Total number of stairs n. 144

Connecting from: ground










To: sixth

Is there a hand rail: To the right

Notes:

The stairway is inside of the hotel and it's the only emergency exit from the hotel.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>

HOTEL MEDICI

Present? Yes

Is a service key necessary? No

Where is the key kept ?

Instructions for use:

Connected from: ground

To: sixth

Interior width, cm 150

Entrance, cm 80

Interior depth, cm 94

Entrance type: Single door

Interior push-button panel: In Braille and relief

Maximum height of cm 131










Acoustic signal of arrival at floor: Acoustic and visual

Is an intercom or emergency button present? Yes

Height, cm 100

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

HOTEL MEDICI

Type: hotel

Name of room: Breakfast room

Hall / service is located on floor: first

Number of seats n. 50

Entrance, cm 120

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?










Relations with the public are:

Height of buffet, cm 88

Height of counter, cm 113

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		Partial
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

HOTEL MEDICI

Type: hotel

Name of room: TV room

Hall / service is located on floor: first

Number of seats n. 5

Entrance, cm 115

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:










Height of buffet, cm 88

Height of counter, cm 113

Notes:

Very small room

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

BEDROOM

HOTEL MEDICI

Type:

hotel

Number - Name:

208

Situated on floor:

second

Type of room:

quadrupla

Anti-allergenic room?

No

Yes:

The room is:

Smoking

Width of entrance door cm

90

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ?

Yes

Other:

Narrowest passage, cm

50

Description:

between the bed and the table

Presence of carpeting?

No

Are there internal stairs?

No

Where?

Is it possible to move the bed?

Yes

Bed height, cm

48

Is it possible to modify bed height?

No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: no










Are there obstacles along the passageway from the room to the emergency exit ? No

Which?

Where do the escape routes lead to: inaccessible emergency exit


Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		Good
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

FLOOR PLAN

Which side of the structure does the floor plan refer to?



BEDROOM

HOTEL MEDICI

Type: hotel

Number - Name: 501

Situated on floor: fifth

Type of room: Double

Anti-allergenic room? No

Yes:

The room is: Smoking

Width of entrance door cm 80

Internal door, cm

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other:

Narrowest passage, cm 59

Description: between wall and bed

Presence of carpeting? No

Are there internal stairs? No

Where?

Is it possible to move the bed? Yes

Bed height, cm 48

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: no

Are there obstacles along the passageway from the room to the emergency exit ? No










Which?

Where do the escape routes lead to: inaccessible emergency exit


Notes:

The room has a fire door.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		Good
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Partial
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

Which side of the structure does the floor plan refer to?



WC/BATHROOM/RESTROOM

HOTEL MEDICI

Service:

In: room

Number - name: 208

Situated on floor: second

Anteroom?

No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Bathroom

Entrance door, cm

Basin? Yes

Type: suspended

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet: floor toilet with external hand shower

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? No

Shower? Yes

Type of shower:

Shower provided with seat? No

Type:

Shower provided with handles? No

Bathtub? No

Type:

Provided with internal seat?










Provided with handles?

Provided with lifter?

Model:


Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

Which side of the structure does the floor plan refer to?

Hotel Medici bagno camera n° 208



WC/BATHROOM/RESTROOM

HOTEL MEDICI

Service:

In: room

Number - name: 501

Situated on floor: fifth

Anteroom?

No

Entrance door, cm 90

Basin?

Type:

Type of basin faucet: lever

Space in front of the faucet, cm

Presence of:

Bathroom

Entrance door, cm 80

Basin? Yes

Type: suspended

Type of basin faucet: lever

Space in front of the faucet, cm 100

Type of toilet: floor toilet with external hand shower

Space in front of toilet, cm 100

Space to the right of toilet, cm 145

Space to the left of toilet, cm 33

Height of toilet, cm 52

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? No

Shower? Yes

Type of shower: box shower with entrance cm.

Shower provided with seat? No

Type:

Shower provided with handles? No

Bathtub? No

Type:

Provided with internal seat?










Provided with handles?

Provided with lifter?

Model:


Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

--

Hotel Medici bagno camera n° 501



WC/BATHROOM/RESTROOM

HOTEL MEDICI

Service: only one

In: public

Number - name:

Situated on floor: first

Anteroom?

Yes

Entrance door, cm 90

Basin? Yes

Type: suspended

Type of basin faucet: lever

Space in front of the faucet, cm 122

Presence of:

Restroom

Entrance door, cm 90

Basin? No

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet: floor toilet

Space in front of toilet, cm 100

Space to the right of toilet, cm 112

Space to the left of toilet, cm 25

Height of toilet, cm 53

Bidet? No

Handles to the right of toilet? No

Handles to the left of toilet? No










Shower?	Yes	
Type of shower:	on floor	
Shower provided with seat?	No	
Type:		
Shower provided with handles?	No	

Bathtub?	No	
Type:		
Provided with internal seat?		
Provided with handles?		
Provided with lifter?		
Model:		

Notes:

Security button missing.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

Which side of the structure does the floor plan refer to?

Hotel Medici bagno pubblico

