

CARD DB GENERAL INFORMATIONRecording date: **2/3/09**Type **Hotel**Name **HOTEL PARIS**Category **3 STARS**Address **VIA DEI BANCHI, 2**Town **FIRENZE**Province **FIRENZE**Telephone **055-280281**Fax **055-268505**E-mail **info@parishotel.it**Internet **www.parishotel.it**Hours of public service **24 hours**Closing day or closing time **NO**Person in charge of: **Francesco Scorpioni**Qualification **Head of reception**Position **town center**Surrounding land **level roads**Height of place a.s.l., mt. **50**

Spoken languages?:

Italian**English****Spanish****French****German**

Services offered by the structure:

Breakfast room**TV room**

Transport towards structure

Distance from
nearest stop, mt.

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

Information availability on: **No support**

Available transport for internal or external mobility: **None**

The following payment is accepted

All

CARD DB_ACCOMODATION STRUCTURE

0013

HOTEL PARIS

Period when open: Annual

Service method: B&B

Is Room Service available? No

Are rooms declared accessible by the manager? No

How many?

Are rooms declared anti-allergic by the manager? No

How many?

There are menus for:

Which public structures are present in the town or in the town closest by?

Health Structures within about 5 km

Service structures in the area

Tourist information office

Service structures in the provincial area

Are there emergency exits? Yes

The alarm is: Visual

Notes: In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699

- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0

- Car Repair special equipment: Autofficina, via Mariti, 53 tel 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi,
via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

CARD DB_PARKING LOT / CAR PARK**HOTEL PARIS**

Type of parking lot: Garage
 Paying
 Uncovered

Is there an intercom system?

Type?

Height, cm

Obstacles:

The distance is mt

Type of path:

Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

By:

Are there direction signs?

Are tactile guides present?

Notes: The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand.
 The service is made by the hotel staff.

LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good

CARD DB_ENTRANCE

0013

HOTEL PARIS

Entrance: Principal

Width, cm 277

Are there stairs? No

How many? 110

Are they chromatically marked?

Are there any aids to bypass the stairs?

Which?

Are there chromatic-optical contrasts? Yes

What do they point out? uscita di emergenza

Is there an intercom system? bell

Height cm 149

Obstacles: First access is on a driveway with 12% slope.

Type of entrance door opening: revolving

Conditions: manual

Notes:

LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram

Obese person or pregnant woman

Elderly, lame, heart patient

Deaf or hearing impaired person

Blind or visually impaired person

Person in wheel-chair with companion

Person in wheel-chair alone

CARD DB_ENTRANCE

0013

Entrance:

Width, cm

Are there stairs? No

How many?

Are they chromatically marked?

Are there any aids to bypass the stairs?

Which?

Are there chromatic-optical contrasts?

What do they point out?

Is there an intercom system?

Height cm

Obstacles:

Type of entrance door opening: sliding

Conditions: automatic

Notes:

LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram

Obese person or pregnant woman

Elderly, lame, heart patient

Deaf or hearing impaired person

Blind or visually impaired person

Person in wheel-chair with companion

Person in wheel-chair alone

0013

CARD DB_RECEPTION

HOTEL PARIS

Function noted: hotel

Counter height, cm 120

Narrowest passage, cm

Steps? No

How many grouped together?

How many isolated?

Presence of obstacles for mobility? Yes

Yes, what are they : 3 cm threshold and carpet on the main entrance.

Systems for dialogue, useful information: Verbal

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Good

Obese person or pregnant woman Good

Elderly, lame, heart patient Good

Deaf or hearing impaired person Partial

Blind or visually impaired person Good

Person in wheel-chair with companion Good

Person in wheel-chair alone Partial

0013

CARD DB_INTERNAL PATHWAYS

HOTEL PARIS

MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

FROM:

TO:

PROBLEMS?

Type of obstacle:

Notes:

LEVEL OF SATISFACTION OF NEEDS

Family with children in stroller/pram	Good
Obese person or pregnant woman	Good
Elderly, lame, heart patient	Good
Deaf or hearing impaired person	Good
Blind or visually impaired person	Good
Person in wheel-chair with companion	Good
Person in wheel-chair alone	Good

Present? Yes

Is a service key necessary? No

Where is the key kept ?

Instructions for use:

Connected from: ground

To: third

Interior width, cm 123

Entrance, cm 76

Interior depth, cm 85

Entrance type: Double front door

Interior push-button panel: In Braille and relief

Maximum height of cm 130

Acoustic signal of arrival at floor: Acoustic

Is an intercom or emergency button present? Yes

Height, cm 130

Notes: the lift is in a room inside of the hotel in front of the reception. It's accessbile through a 80 cm door.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Good

Obese person or pregnant woman Good

Elderly, lame, heart patient Good

Deaf or hearing impaired person Partial

Blind or visually impaired person Good

Person in wheel-chair with companion Good

Person in wheel-chair alone Good

CARD DB_STAIR

0013

HOTEL PARIS

Are stairs present? Yes

Width, cm 218

Flight of stairs n. 1

Total number of stairs n. 14

Connecting from: first

To: mezzanine

Is there a hand rail: To the right
To the left

Notes: The stairway are inside of the hotel, and mandatory to get to the TV and breakfast rooms, they are covered with carpet.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram

Obese person or pregnant woman

Elderly, lame, heart patient

Deaf or hearing impaired person

Blind or visually impaired person

Person in wheel-chair with companion

Person in wheel-chair alone

CARD DB_STAIR

0013

HOTEL PARIS

Are stairs present? Yes

Width, cm 218

Flight of stairs n. 1

Total number of stairs n. 6

Connecting from: ground floor reception access

To: mezzanine, lift access

Is there a hand rail: To the right
To the left

Notes: The stairway are inside of the hotel, between the reception and the lift. They are covered with carpets.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram

Obese person or pregnant woman

Elderly, lame, heart patient

Deaf or hearing impaired person

Blind or visually impaired person

Person in wheel-chair with companion

Person in wheel-chair alone

CARD DB_STAIR

0013

HOTEL PARIS

Are stairs present? Yes

Width, cm 218

Flight of stairs n. 3

Total number of stairs n. 178

Connecting from: ground

To: fifth

Is there a hand rail: To the right
To the left

Notes: The stairway are inside of the hotel and links all the floors. They are the only emergency exit and covered by carpets.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram

Obese person or pregnant woman

Elderly, lame, heart patient

Deaf or hearing impaired person

Blind or visually impaired person

Person in wheel-chair with companion

Person in wheel-chair alone

HOTEL PARIS

Type: hotel

Number - Name: 331

Situated on floor: third

Type of room: Twin
Double

Anti-allergenic room? No

Yes:

The room is: No smoking

Width of entrance door cm 100

Internal door, cm 84

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other:

Narrowest passage, cm 60

Description: between furnishing and bed

Presence of carpeting? Yes

Are there internal stairs? No

Where?

Is it possible to move the bed? Yes

Bed height, cm 53

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: yes, acoustic

Are there obstacles along the passageway from the room to the emergency exit? No

Which?

Where do the escape routes lead to: inaccessible emergency exit

Notes: Wide rooms are: 331, 332, 339, 340, 342 similar in disposition and dimensions and near the elevator.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies Partial

Family with children in stroller/pram Good

Obese person or pregnant woman Good

Elderly, lame, heart patient Good

Deaf or hearing impaired person Partial

Blind or visually impaired person Good

Person in wheel-chair with companion Good

Person in wheel-chair alone Good

CARD DB_WC/BATHROOM/RESTROOM**HOTEL PARIS****Service:****In:** room**Number - name:** 331**Situated on floor:** third**Anteroom?** No**Entrance door, cm****Basin?****Type:****Type of basin faucet:****Space in front of the faucet, cm****Presence of:** Bathroom**Entrance door, cm** 63**Basin?** Yes**Type:** suspended**Type of basin faucet:** lever**Space in front of the faucet, cm** 100**Type of toilet:** floor toilet**Space in front of toilet, cm** 20**Space to the right of toilet, cm** 77**Space to the left of toilet, cm** 30**Height of toilet, cm** 43**Bidet?** No**Handles to the right of toilet?** No**Handles to the left of toilet?** Yes

Shower? No

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub? Yes

Type: Bathtub with shower

Provided with internal seat? No

Provided with handles? No

Provided with lifter? No

Model:

Notes: Small bathroom

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce

CARD DB_WC/BATHROOM/RESTROOM**HOTEL PARIS**

Service:

In: public

Number - name:

Situated on floor: first

Anteroom? No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of: Restroom

Entrance door, cm 61

Basin? Yes

Type: suspended

Type of basin faucet: pedal

Space in front of the faucet, cm 60

Type of toilet: floor toilet

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?

Shower?

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub?

Type:

Provided with internal seat?

Provided with handles?

Provided with lifter?

Model:

Notes: Not accessible.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce

CARD DB_WC/BATHROOM/RESTROOM**HOTEL PARIS**

Service:

In: public

Number - name:

Situated on floor: first

Anteroom? No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of: Restroom

Entrance door, cm 60

Basin? Yes

Type: suspended

Type of basin faucet: pedal

Space in front of the faucet, cm 48

Type of toilet: floor toilet

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?

Shower?

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub?

Type:

Provided with internal seat?

Provided with handles?

Provided with lifter?

Model:

Notes: Not accessible.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Partial

Deaf or hearing impaired person Good

Blind or visually impaired person Good

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce

CARD DB_ROOMS/SERVICES

0013

HOTEL PARIS

Type: hotel

Name of room: Breakfast room

Hall / service is located on floor: Mezzanine between ground floor and first floor

Number of seats n. 49

Entrance, cm 100

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:

Height of buffet, cm 79

Height of counter, cm 118

Notes: The lift doesn't reach the mezzanine. To get to the room, take the lift to the first floor, then descend 14 steps.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies Partial

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Scarce

Deaf or hearing impaired person Good

Blind or visually impaired person Partial

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce

CARD DB_ROOMS/SERVICES

0013

HOTEL PARIS

Type: hotel

Name of room: TV room

Hall / service is located on floor: Mezzanine between ground floor and first floor

Number of seats n. 4

Entrance, cm 100

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation? Yes

Are there reserved seats? no

How many?

Relations with the public are:

Height of buffet, cm 79

Height of counter, cm 118

Notes: TV room and internet point

The lift doesn't reach the mezzanine. To get to the room, take the lift to the first floor, then descend 14 steps.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies Partial

Person with allergies

Family with children in stroller/pram Partial

Obese person or pregnant woman Partial

Elderly, lame, heart patient Scarce

Deaf or hearing impaired person Good

Blind or visually impaired person Partial

Person in wheel-chair with companion Partial

Person in wheel-chair alone Scarce