

Recording date: 2/3/09

Type **Hotel**

Name **HOTEL PARIS**

Category **3 STARS**

Address **VIA DEI BANCHI, 2**

Town **FIRENZE**

Province **FIRENZE**

Telephone **055-280281**

Fax **055-268505**

E-mail **info@parishotel.it**

Internet **www.parishotel.it**



Hours of public service **24 hours**

Closing day or closing time **no**

Person in charge of: **Francesco Scorpioni**

Qualification **Head of reception**

Position **town center**

Surrounding land **level roads**

Height of place a.s.l., mt. **50**

Spoken languages?:

Italian

English

Spanish

French

German

Services offered by the structure:

Breakfast room

TV room

Transport towards structure

Distance from nearest stop, mt.

Are there generic plans of the structure? **No**

Are there tactile plans of the structure? **No**

Are there generic brochures of the structure? **Yes**

Are there printed information brochures in Braille? **No**

The following payment is accepted

All

Information availability on:

No support

Available transport for internal or external mobility:

None

Period when open:	Annual
Service method:	B&B
Is Room Service available?	No

Are rooms declared accessible by the manager?	No	There are menus for:	
How many?			
Are rooms declared anti-allergic by the manager?	No		
How many?			

Which public structures are present in the town or in the town closest by?		
Health Structures within about 5 km	Service structures in the area	Service structures in the provincial area
Emergency room Ophthalmology Neuropsychiatry	Tourist information office	

Are there emergency exits?	Yes
The alarm is:	Visual

Notes:

In case of call from international cellphone all phone numbers require international prefix 0039.

- Hospital: Ospedale di S.M. Nuova P.za S.M. Nuova, 1 tel. 055-27.58.1
- First Aid: Misericordia di Firenze P.za Duomo, 20 tel. 055-23939
- Eyes Surgeon: Oculista Laganà via dei Martelli, 8 tel. 055-23.81.699
- Touristic Informations: P.za della Stazione tel. 055-212245
- Touristic Informations: Borgo Santa Croce, 29 tel. 055-23.40.444
- Touristic Informations: Via Manzoni, 16 tel. 055-23.32.0
- Car Repair special equipment: Autofficina, via Mariti, 53 tel 055-35.18.93
- Special equipment car repair and rental - Autofficina Poggesi, via di Collodi, 10/20 tel. 339-40.40.759
- Car Rental: Autonoleggio Auto via de' Cattani, 23 tel. 055-30.24.436
- Bike and scooter rental: via S. Zanobi, 120/r tel. 055-48.89.92

GENERAL SUMMARIZING NOTES DESCRIBING THE STRUCTURE

The access to Paris Hotel is influenced by a driveway with a 10 cm step.
 On the ground floor, there is only the reception desk, and the access to the elevator that connects the first three floors.
 On the mezzanine between the ground and the first floor are the breakfast and TV rooms, and two non-accessible bathrooms.
 The elevator only arrives to the first floor, in order to reach the halls you should either take the elevator to the first floor and then descend 14 steps, or otherwise climb 43 steps of the main stairway from the ground floor to the mezzanine.
 The hotel does not have any explicitly accessible room, five rooms on the third floor are offered for this purpose, with bathroom inside and all next to the elevator.
 The inner pathway from the elevator to the room is regular.
 The escape way leads to the central stairway inside of the hotel and to the elevator, heading to the main entrance.
 The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand.

PARKING LOT / CAR PARK

HOTEL PARIS

Type of parking lot: Garage
Paying
Uncovered

Is there an intercom system?

Type?

Height, cm

Obstacles:

The distance is mt

Type of path:










Type of pavement:

Possible difficulties encountered along the way:

Is it connected directly to the structure?

By:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

Notes: The hotel has an agreement with a paying garage parking service that picks-up/return the car on demand. The service is made by the hotel staff.

HOTEL PARIS

Entrance: Principal

Width, cm 277

Are there stairs? No

How many? 110

Are they chromatically marked?

Are there any aids to bypass the stairs?

Which?

Are there chromatic-optical contrasts?

Yes

What do they point out? uscita di emergenza

Is there an intercom system? bell

Height cm 149










Obstacles: First access is on a driveway with 12% slope.

Type of entrance door opening: revolving

Conditions: manual

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		<input type="text"/>
Elderly, lame, heart patient		<input type="text"/>
Deaf or hearing impaired person		<input type="text"/>
Blind or visually impaired person		<input type="text"/>
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>

HOTEL PARIS

Entrance: Principal

Width, cm 113

Are there stairs? No

How many?

Are they chromatically marked?

Are there any aids to bypass the stairs?

Which?

Are there chromatic-optical contrasts?

No

What do they point out?

Is there an intercom system?

Height cm










Obstacles:

Type of entrance door opening: sliding

Conditions: automatic

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		<input type="text"/>
Elderly, lame, heart patient		<input type="text"/>
Deaf or hearing impaired person		<input type="text"/>
Blind or visually impaired person		<input type="text"/>
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>

HOTEL PARIS

Function noted: hotel

Counter height, cm 120 Narrowest passage, cm

Steps? No

How many grouped together?

How many isolated?










Presence of obstacles for mobility? Yes

Yes, what are they : 3 cm threshold and carpet on the main entrance.

Systems for dialogue, useful information: Verbal

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Partial

INTERNAL PATHWAYS

Card number

HOTEL PARIS

MOBILITY OR DIRECTION PROBLEMS NOTICED ON THE PATHWAYS

FROM:










TO:

PROBLEMS?

Type of obstacle:

Notes:

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good










HOTEL PARIS

Are stairs present?	Yes
Width, cm	218
Flight of stairs n.	1
Total number of stairs n.	14
Connecting from:	first
To:	mezzanine
Is there a hand rail:	To the right To the left

Notes:

The stairway are inside of the hotel, and mandatory to get to the TV and breakfast rooms, they are covered with carpet.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		<input type="text"/>
Elderly, lame, heart patient		<input type="text"/>
Deaf or hearing impaired person		<input type="text"/>
Blind or visually impaired person		<input type="text"/>
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>










HOTEL PARIS

Are stairs present?	Yes
Width, cm	218
Flight of stairs n.	1
Total number of stairs n.	6
Connecting from:	ground floor reception access
To:	mezzanine, lift access
Is there a hand rail:	To the right To the left

Notes:

The stairway are inside of the hotel, between the reception and the lift. They are covered with carpets.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		<input type="text"/>
Elderly, lame, heart patient		<input type="text"/>
Deaf or hearing impaired person		<input type="text"/>
Blind or visually impaired person		<input type="text"/>
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>










HOTEL PARIS

Are stairs present?	Yes
Width, cm	218
Flight of stairs n.	3
Total number of stairs n.	178
Connecting from:	ground
To:	fifth
Is there a hand rail:	To the right To the left

Notes:

The stairway are inside of the hotel and links all the floors. They are the only emergency exit and covered by carpets.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text"/>
Obese person or pregnant woman		<input type="text"/>
Elderly, lame, heart patient		<input type="text"/>
Deaf or hearing impaired person		<input type="text"/>
Blind or visually impaired person		<input type="text"/>
Person in wheel-chair with companion		<input type="text"/>
Person in wheel-chair alone		<input type="text"/>

HOTEL PARIS

Present?

Is a service key necessary?

Where is the key kept?

Instructions for use:

Connected from:

To:

Interior width, cm Entrance, cm Interior depth, cm

Entrance type:

Interior push-button panel: Maximum height of cm










Acoustic signal of arrival at floor:

Is an intercom or emergency button present? Height, cm

Notes:

the lift is in a room inside of the hotel in front of the reception. It's accessible through a 80 cm door.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text" value="Good"/>
Obese person or pregnant woman		<input type="text" value="Good"/>
Elderly, lame, heart patient		<input type="text" value="Good"/>
Deaf or hearing impaired person		<input type="text" value="Partial"/>
Blind or visually impaired person		<input type="text" value="Good"/>
Person in wheel-chair with companion		<input type="text" value="Good"/>
Person in wheel-chair alone		<input type="text" value="Good"/>

ROOMS/SERVICES

HOTEL PARIS

Type:

Name of room:

Hall / service is located on floor:

Number of seats n.

Entrance, cm

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation?

Are there reserved seats?

How many?

Relations with the public are:










Height of buffet, cm

Height of counter, cm

Notes:

The lift doesn't reach the mezzanine. To get to the room, take the lift to the first floor, then descend 14 steps.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text" value="Partial"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text" value="Partial"/>
Obese person or pregnant woman		<input type="text" value="Partial"/>
Elderly, lame, heart patient		<input type="text" value="Scarce"/>
Deaf or hearing impaired person		<input type="text" value="Good"/>
Blind or visually impaired person		<input type="text" value="Partial"/>
Person in wheel-chair with companion		<input type="text" value="Partial"/>
Person in wheel-chair alone		<input type="text" value="scarso"/>

ROOMS/SERVICES

HOTEL PARIS

Type:

Name of room:

Hall / service is located on floor:

Number of seats n.

Entrance, cm

Narrowest passage, cm

Is there sufficient space for wheel-chair rotation?

Are there reserved seats?

How many?

Relations with the public are:

Height of buffet, cm










Height of counter, cm

Notes:

TV room and internet point

The lift doesn't reach the mezzanine. To get to the room, take the lift to the first floor, then descend 14 steps.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text" value="Partial"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		<input type="text" value="Partial"/>
Obese person or pregnant woman		<input type="text" value="Partial"/>
Elderly, lame, heart patient		<input type="text" value="Scarce"/>
Deaf or hearing impaired person		<input type="text" value="Good"/>
Blind or visually impaired person		<input type="text" value="Partial"/>
Person in wheel-chair with companion		<input type="text" value="Partial"/>
Person in wheel-chair alone		<input type="text" value="Scarce"/>

BEDROOM

HOTEL PARIS

Type: hotel

Number - Name: 331

Situated on floor: third

Type of room: Twin
Double

Anti-allergenic room? No

Yes:

The room is: No smoking

Width of entrance door cm 100

Internal door, cm 84

Other:

Is there sufficient space for wheel-chair rotation ? Yes

Other:

Narrowest passage, cm 60

Description: between furnishing and bed

Presence of carpeting? Yes

Are there internal stairs? No

Where?

Is it possible to move the bed? Yes

Bed height, cm 53

Is it possible to modify bed height? No

from cm to cm

Is it possible to move the furniture? Yes

Is there a bathroom in the room? Yes

Bath on the floor at a distance of mt

Is there a telephone? Yes

Alarm system: yes, acoustic

Are there obstacles along the passageway from the room to the emergency exit? No










Which?

Where do the escape routes lead to: inaccessible emergency exit

Notes:


Wide rooms are: 331, 332, 339, 340, 342 similar in disposition and dimensions and near the elevator.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		
Person with allergies		Partial
Family with children in stroller/pram		Good
Obese person or pregnant woman		Good
Elderly, lame, heart patient		Good
Deaf or hearing impaired person		Partial
Blind or visually impaired person		Good
Person in wheel-chair with companion		Good
Person in wheel-chair alone		Good

FLOOR PLAN

Which side of the structure does the floor plan refer to?



WC/BATHROOM/RESTROOM

HOTEL PARIS

Service:

In: room

Number - name: 331

Situated on floor: third

Anteroom?

No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Bathroom

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?

Shower? No

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub? Yes

Type: Bathtub with shower

Provided with internal seat? No

Provided with handles? No










Provided with lifter? No

Model:

Notes:

Small bathroom

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

WC/BATHROOM/RESTROOM

HOTEL PARIS

Service:

In: public

Number - name:

Situated on floor: first

Anteroom?

No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Restroom

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?

Shower?

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub?

Type:

Provided with internal seat?

Provided with handles?










Provided with lifter?

Model:

Notes:

Not accessible.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

WC/BATHROOM/RESTROOM

HOTEL PARIS

Service:

In: public

Number - name:

Situated on floor: first

Anteroom?

No

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Presence of:

Restroom

Entrance door, cm

Basin?

Type:

Type of basin faucet:

Space in front of the faucet, cm

Type of toilet:

Space in front of toilet, cm

Space to the right of toilet, cm

Space to the left of toilet, cm

Height of toilet, cm

Bidet?

Handles to the right of toilet?

Handles to the left of toilet?

Shower?

Type of shower:

Shower provided with seat?

Type:

Shower provided with handles?

Bathtub?

Type:

Provided with internal seat?

Provided with handles?










Provided with lifter?

Model:

Notes:

Not accessible.

LEVEL OF SATISFACTION OF NEEDS

Person with food allergies		<input type="text"/>
Person with allergies		<input type="text"/>
Family with children in stroller/pram		Partial
Obese person or pregnant woman		Partial
Elderly, lame, heart patient		Partial
Deaf or hearing impaired person		Good
Blind or visually impaired person		Good
Person in wheel-chair with companion		Partial
Person in wheel-chair alone		Scarce

Which side of the structure does the floor plan refer to?

